Indexes to *Nuclear Safety*, Volume 32

Cumulative indexes of issues of *Nuclear Safety* through Volume 22 were published as separate documents and are available from the National Technical Information Service. Starting with Volume 23, author and KWIC indexes are published in the first issue of the following volume. Thus this issue contains these indexes for *Nuclear Safety*, Vol. 32. Both indexes use a seven-digit number to indicate the location of the indexed material. The seven-digit number is divided into four parts (00-0-0-000), which stand, respectively, for volume-number-section-page. The authors are indexed alphabetically. In the KWIC (Key Word in Context) index, the article titles are permuted around the various significant words contained therein. For example, the title "Design Basis for Nuclear Power Plant Protection Systems" is indexed under the words Design, Nuclear, Power, Plant, and Protection. The index words are arranged alphabetically in a column in the center of the page, with the titles permuted around them. A slash (/) indicates the end of a title. The two indexes follow.

KWIC Index

TY GUIDELINES (QSGS) AND PROBABILISTIC SAFETY ASSESSMENT	(PSA) IN THE OECD COUNTRIES/ TECHNICAL NOTE - QU 32-2-1-184
UNTRIES/ TECHNICAL NOTE - QUANTITATIVE SAFETY GUIDELINES	(QSGS) AND PROBABILISTIC SAFETY ASSESSMENT (PSA) 32-2-1-184
AINMENTS OF PRESSURIZED-WATER REACTORS OF RUSSIAN DESIGN	(WWERS)/ A STRATEGY FOR DEALING WITH RISKS DUE T 32-3-4-380
E, TID-7016, REVISION 2, NUREG/CR-0095, ORNL/NUREG/CSD-6	(1978)/ TECHNICAL NOTE - ERRONEOUS DATA IN NUCLE 32-2-1-167
F PROBABILISTIC SAFETY ASSESSMENT FOR OPERATIONAL SAFETY	-PSA 91/ REPORT ON THE INTERNATIONAL SYMPOSIUM O 32-4-1-477
IN THE FISSION PRODUCTS DISTRIBUTION OF A SEVERE REACTOR	ACCIDENT/ ON THE IMPORTANCE OF THE ATMOSPHERIC P 32-4-5-544
VAPOR EXPLOSIONS - A REVIEW OF EXPERIMENTS FOR	ACCIDENT ANALYSIS/ 32-3-2-337
NUCLEAR PRODUCTION REACTORS/ THE SEVERE	ACCIDENT ANALYSIS PROGRAM FOR THE SAVANNAH RIVER 32-4-2-502
EFFECTS OF CHEMICAL PHENOMENA ON LWR SEVERE	ACCIDENT FISSION PRODUCT BEHAVIOR/ 32-1-2-56
TECHNICAL NOTE - RADIATION EXPOSURE IN DEPRESSURIZATION	ACCIDENT OF HTTR/ 32-2-5-222
R PLUGGING AND BREAK SIZE ON LARGE BREAK LOSS OF COOLANT	ACCIDENTS/ INFLUENCE OF STEAM GENERATO 32-3-2-363
REVIEW - FISSION PRODUCT TRANSPORT PROCESSES IN REACTOR	ACCIDENTS, PROCEEDINGS TO THE INTERNATIONAL CENT 32-1-1-35
DESIGNING FOR SAFETY IN THE CONCEPTUAL DESIGN OF THE	ADVANCED NEUTRON SOURCE/ 32-2-4-199
EM/ EFFECTS OF COMPONENT	AGING ON THE WESTINGHOUSE CONTROL ROD DRIVE SYST 32-4-7-567
TWENTY-FIRST DOE/NRC NUCLEAR	AIR CLEANING CONFERENCE/ 32-1-4-80
ENT STATUS AND PROPOSED IMPROVEMENTS TO THE ANSI/ANS-5.1	AMERICAN NATIONAL STANDARD FOR DECAY HEAT POWER 32-2-4-209
RCIAL REACTORS AND IRRADIATION FACILITIES/ REPORT ON THE	AMERICAN NUCLEAR SOCIETY INTERNATIONAL TOPICAL M 32-1-1-19
VAPOR EXPLOSIONS - A REVIEW OF EXPERIMENTS FOR ACCIDENT	ANALYSIS/ 32-3-2-337
PRODUCTION REACTORS/ THE SEVERE ACCIDENT	ANALYSIS PROGRAM FOR THE SAVANNAH RIVER NUCLEAR 32-4-2-502
SUMMARY OF FUEL PERFORMANCE	ANNUAL REPORT FOR 1988/ 32-2-7-242
EACTORS/ CURRENT STATUS AND PROPOSED IMPROVEMENTS TO THE	ANSI/ANS-5.1 AMERICAN NATIONAL STANDARD FOR DECA 32-2-4-209
E EXPECTANCY OF PWR VESSEL SUPPORTS/ IMPACT OF AN	APPARENT RADIATION EMBRITTLEMENT RATE ON THE LIF 32-1-4-91
UATION AND IMPROVEMENT/ TECHNICAL NOTE -	APPROACHES AND PRINCIPLES OF REACTOR SAFETY EVAL 32-2-1-176
/ THE SAFETY REVIEW AND	APPROVAL PROCESS FOR SPACE NUCLEAR POWER SOURCES 32-1-1-1
ISON OF THE NRC AND THE IAEA REGULATORY DOCUMENTS IN THE	AREA OF NUCLEAR FUEL SYSTEMS/ COMPAR 32-2-1-177
N PLANT CONDITIONS/	ASSESSING AND MANAGING PLANT RISK DURING SHUTDOW 32-3-1-325
TATIVE SAFETY GUIDELINES (QSGS) AND PROBABILISTIC SAFETY	ASSESSMENT (PSA) IN THE OECD COUNTRIES/ TECHNICA 32-2-1-184
TERNATIONAL SYMPOSIUM ON THE USE OF PROBABILISTIC SAFETY	ASSESSMENT FOR OPERATIONAL SAFETY -PSA 91/ REPOR 32-4-1-477
R POWER PLANTS/	ASSESSMENT OF SAFETY-CRITICAL SOFTWARE IN NUCLEA 32-2-3-189
UNCERTAINTIES RELATED TO DOSE	ASSESSMENTS FOR HIGH LEVEL WASTE DISPOSAL/ 32-3-6-391
N OF A SEVERE REACTOR ACCIDENT/ ON THE IMPORTANCE OF THE	ATMOSPHERIC PARAMETERS IN THE FISSION PRODUCTS D 32-4-5-544
GOOD RELATIONSHIPS ARE PIVOTAL IN NUCLEAR DATA	BASES/ 32-4-1-488
HEMICAL PHENOMENA ON LWR SEVERE ACCIDENT FISSION PRODUCT	BEHAVIOR/ EFFECTS OF C 32-1-2-56
FFECTS OF EXPOSURE TO LOW LEVELS OF IONIZING RADIATION -	BEIR V/ BOOK REVIEW - HEALTH E 32-4-5-551
ENT QUALITY/ BOOK REVIEW - THE RELATIVE	BIOLOGICAL EFFECTIVENESS OF RADIATIONS OF DIFFER 32-2-5-229
TO THE INTERNATIONAL CENTRE FOR HEAT AND MASS PROCESSES/	BOOK REVIEW - FISSION PRODUCT TRANSPORT PROCESSE 32-1-1-35
LEVELS OF IONIZING RADIATION - BEIR V/	BOOK REVIEW - HEALTH EFFECTS OF EXPOSURE TO LOW 32-4-5-551
RIENDLY APPROACH/	BOOK REVIEW - PLANT DESIGN FOR SAFETY - A USER-F 32-3-4-387
ESS OF RADIATIONS OF DIFFERENT QUALITY/	BOOK REVIEW - THE RELATIVE BIOLOGICAL EFFECTIVEN 32-2-5-229
ENCE OF STEAM GENERATOR PLUGGING AND BREAK SIZE ON LARGE	BREAK LOSS OF COOLANT ACCIDENTS/ INFLU 32-3-2-363
NTS/ INFLUENCE OF STEAM GENERATOR PLUGGING AND	BREAK SIZE ON LARGE BREAK LOSS OF COOLANT ACCIDE 32-3-2-363
S IN REACTOR ACCIDENTS, PROCEEDINGS TO THE INTERNATIONAL	CENTRE FOR HEAT AND MASS PROCESSES/ BOOK REVIEW 32-1-1-35
N PRODUCT BEHAVIOR/ EFFECTS OF	CHEMICAL PHENOMENA ON LWR SEVERE ACCIDENT FISSIO 32-1-2-56
TWENTY-FIRST DOE/NRC NUCLEAR AIR	CLEANING CONFERENCE/ 32-1-4-80
NTIAL NUCLEAR POWER PLANT SITES IN IRAQ ACCORDING TO THE	COLLECTIVE DOSE CRITERION/ TECHNICAL NOTE - RANK 32-3-5-388
DRIVE SYSTEM/ EFFECTS OF	COMPONENT AGING ON THE WESTINGHOUSE CONTROL ROD 32-4-7-567
EWRITING THE STANDARD ON THE FUNCTIONAL REQUIREMENTS FOR	COMPUTERS USED IN SAFETY SYSTEMS OF NUCLEAR POWE 32-3-3-375
NG RADIATION EXPOSURE/	CONCEPTS ASSOCIATED WITH NEW REGULATIONS GOVERNI 32-2-1-168
/ DESIGNING FOR SAFETY IN THE	CONCEPTUAL DESIGN OF THE ADVANCED NEUTRON SOURCE 32-2-4-199
TWENTY-FIRST DOE/NRC NUCLEAR AIR CLEANING	CONFERENCE/ 32-1-4-80
TORY AND STATUS/	CONTAINMENTS FOR GAS-COOLED POWER REACTORS - HIS 32-4-4-521
FOR DEALING WITH RISKS DUE TO HYDROGEN EXPLOSIONS IN THE	CONTAINMENTS OF PRESSURIZED-WATER REACTORS OF RU 32-3-4-380
EFFECTS OF COMPONENT AGING ON THE WESTINGHOUSE	CONTROL ROD DRIVE SYSTEM/ 32-4-7-567
TEMS/ A FRAMEWORK FOR SELECTING SUITABLE	CONTROL TECHNOLOGIES FOR NUCLEAR POWER PLANT SYS 32-4-3-511
GENERATOR PLUGGING AND BREAK SIZE ON LARGE BREAK LOSS OF	COOLANT ACCIDENTS/ INFLUENCE OF STEAM 32-3-2-363
S) AND PROBABILISTIC SAFETY ASSESSMENT (PSA) IN THE OECD	COUNTRIES/ TECHNICAL NOTE - QUANTITATIVE SAFETY 32-2-1-184
WER PLANT SITES IN IRAQ ACCORDING TO THE COLLECTIVE DOSE	CRITERION/ TECHNICAL NOTE - RANKING OF FOUR POTE 32-3-5-388
NAL SAFETY/ TOTAL SAFETY - A NEW SAFETY	CULTURE TO INTEGRATE NUCLEAR SAFETY AND OPERATIO 32-3-7-416
L STANDARD FOR DECAY HEAT POWER IN LIGHT WATER REACTORS/	CURRENT STATUS AND PROPOSED IMPROVEMENTS TO THE 32-2-4-209

Indexes to *Nuclear Safety*, Volume 32

Cumulative indexes of issues of *Nuclear Safety* through Volume 22 were published as separate documents and are available from the National Technical Information Service. Starting with Volume 23, author and KWIC indexes are published in the first issue of the following volume. Thus this issue contains these indexes for *Nuclear Safety*, Vol. 32. Both indexes use a seven-digit number to indicate the location of the indexed material. The seven-digit number is divided into four parts (00-0-0-000), which stand, respectively, for volume-number-section-page. The authors are indexed alphabetically. In the KWIC (Key Word in Context) index, the article titles are permuted around the various significant words contained therein. For example, the title "Design Basis for Nuclear Power Plant Protection Systems" is indexed under the words Design, Nuclear, Power, Plant, and Protection. The index words are arranged alphabetically in a column in the center of the page, with the titles permuted around them. A slash (/) indicates the end of a title. The two indexes follow.

KWIC Index

TY GUIDELINES (QSGS) AND PROBABILISTIC SAFETY ASSESSMENT	(PSA) IN THE OECD COUNTRIES/ TECHNICAL NOTE - QU 32-2-1-184
UNTRIES/ TECHNICAL NOTE - QUANTITATIVE SAFETY GUIDELINES	(QSGS) AND PROBABILISTIC SAFETY ASSESSMENT (PSA) 32-2-1-184
AINMENTS OF PRESSURIZED-WATER REACTORS OF RUSSIAN DESIGN	(WWERS)/ A STRATEGY FOR DEALING WITH RISKS DUE T 32-3-4-380
E, TID-7016, REVISION 2, NUREG/CR-0095, ORNL/NUREG/CSD-6	(1978)/ TECHNICAL NOTE - ERRONEOUS DATA IN NUCLE 32-2-1-167
F PROBABILISTIC SAFETY ASSESSMENT FOR OPERATIONAL SAFETY	-PSA 91/ REPORT ON THE INTERNATIONAL SYMPOSIUM O 32-4-1-477
IN THE FISSION PRODUCTS DISTRIBUTION OF A SEVERE REACTOR	ACCIDENT/ ON THE IMPORTANCE OF THE ATMOSPHERIC P 32-4-5-544
VAPOR EXPLOSIONS - A REVIEW OF EXPERIMENTS FOR	ACCIDENT ANALYSIS/ 32-3-2-337
NUCLEAR PRODUCTION REACTORS/ THE SEVERE	ACCIDENT ANALYSIS PROGRAM FOR THE SAVANNAH RIVER 32-4-2-502
EFFECTS OF CHEMICAL PHENOMENA ON LWR SEVERE	ACCIDENT FISSION PRODUCT BEHAVIOR/ 32-1-2-56
TECHNICAL NOTE - RADIATION EXPOSURE IN DEPRESSURIZATION	ACCIDENT OF HTTR/ 32-2-5-222
R PLUGGING AND BREAK SIZE ON LARGE BREAK LOSS OF COOLANT	ACCIDENTS/ INFLUENCE OF STEAM GENERATO 32-3-2-363
REVIEW - FISSION PRODUCT TRANSPORT PROCESSES IN REACTOR	ACCIDENTS, PROCEEDINGS TO THE INTERNATIONAL CENT 32-1-1-35
DESIGNING FOR SAFETY IN THE CONCEPTUAL DESIGN OF THE	ADVANCED NEUTRON SOURCE/ 32-2-4-199
EM/ EFFECTS OF COMPONENT	AGING ON THE WESTINGHOUSE CONTROL ROD DRIVE SYST 32-4-7-567
TWENTY-FIRST DOE/NRC NUCLEAR	AIR CLEANING CONFERENCE/ 32-1-4-80
ENT STATUS AND PROPOSED IMPROVEMENTS TO THE ANSI/ANS-5.1	AMERICAN NATIONAL STANDARD FOR DECAY HEAT POWER 32-2-4-209
RCIAL REACTORS AND IRRADIATION FACILITIES/ REPORT ON THE	AMERICAN NUCLEAR SOCIETY INTERNATIONAL TOPICAL M 32-1-1-19
VAPOR EXPLOSIONS - A REVIEW OF EXPERIMENTS FOR ACCIDENT	ANALYSIS/ 32-3-2-337
PRODUCTION REACTORS/ THE SEVERE ACCIDENT	ANALYSIS PROGRAM FOR THE SAVANNAH RIVER NUCLEAR 32-4-2-502
SUMMARY OF FUEL PERFORMANCE	ANNUAL REPORT FOR 1988/ 32-2-7-242
EACTORS/ CURRENT STATUS AND PROPOSED IMPROVEMENTS TO THE	ANSI/ANS-5.1 AMERICAN NATIONAL STANDARD FOR DECA 32-2-4-209
E EXPECTANCY OF PWR VESSEL SUPPORTS/ IMPACT OF AN	APPARENT RADIATION EMBRITTLEMENT RATE ON THE LIF 32-1-4-91
UATION AND IMPROVEMENT/ TECHNICAL NOTE -	APPROACHES AND PRINCIPLES OF REACTOR SAFETY EVAL 32-2-1-176
/ THE SAFETY REVIEW AND	APPROVAL PROCESS FOR SPACE NUCLEAR POWER SOURCES 32-1-1-1
ISON OF THE NRC AND THE IAEA REGULATORY DOCUMENTS IN THE	AREA OF NUCLEAR FUEL SYSTEMS/ COMPAR 32-2-1-177
N PLANT CONDITIONS/	ASSESSING AND MANAGING PLANT RISK DURING SHUTDOW 32-3-1-325
TATIVE SAFETY GUIDELINES (QSGS) AND PROBABILISTIC SAFETY	ASSESSMENT (PSA) IN THE OECD COUNTRIES/ TECHNICA 32-2-1-184
TERNATIONAL SYMPOSIUM ON THE USE OF PROBABILISTIC SAFETY	ASSESSMENT FOR OPERATIONAL SAFETY -PSA 91/ REPOR 32-4-1-477
R POWER PLANTS/	ASSESSMENT OF SAFETY-CRITICAL SOFTWARE IN NUCLEA 32-2-3-189
UNCERTAINTIES RELATED TO DOSE	ASSESSMENTS FOR HIGH LEVEL WASTE DISPOSAL/ 32-3-6-391
N OF A SEVERE REACTOR ACCIDENT/ ON THE IMPORTANCE OF THE	ATMOSPHERIC PARAMETERS IN THE FISSION PRODUCTS D 32-4-5-544
GOOD RELATIONSHIPS ARE PIVOTAL IN NUCLEAR DATA	BASES/ 32-4-1-488
HEMICAL PHENOMENA ON LWR SEVERE ACCIDENT FISSION PRODUCT	BEHAVIOR/ EFFECTS OF C 32-1-2-56
FFECTS OF EXPOSURE TO LOW LEVELS OF IONIZING RADIATION -	BEIR V/ BOOK REVIEW - HEALTH E 32-4-5-551
ENT QUALITY/ BOOK REVIEW - THE RELATIVE	BIOLOGICAL EFFECTIVENESS OF RADIATIONS OF DIFFER 32-2-5-229
TO THE INTERNATIONAL CENTRE FOR HEAT AND MASS PROCESSES/	BOOK REVIEW - FISSION PRODUCT TRANSPORT PROCESSE 32-1-1-35
LEVELS OF IONIZING RADIATION - BEIR V/	BOOK REVIEW - HEALTH EFFECTS OF EXPOSURE TO LOW 32-4-5-551
RIENDLY APPROACH/	BOOK REVIEW - PLANT DESIGN FOR SAFETY - A USER-F 32-3-4-387
ESS OF RADIATIONS OF DIFFERENT QUALITY/	BOOK REVIEW - THE RELATIVE BIOLOGICAL EFFECTIVEN 32-2-5-229
ENCE OF STEAM GENERATOR PLUGGING AND BREAK SIZE ON LARGE	BREAK LOSS OF COOLANT ACCIDENTS/ INFLU 32-3-2-363
NTS/ INFLUENCE OF STEAM GENERATOR PLUGGING AND	BREAK SIZE ON LARGE BREAK LOSS OF COOLANT ACCIDE 32-3-2-363
S IN REACTOR ACCIDENTS, PROCEEDINGS TO THE INTERNATIONAL	CENTRE FOR HEAT AND MASS PROCESSES/ BOOK REVIEW 32-1-1-35
N PRODUCT BEHAVIOR/ EFFECTS OF	CHEMICAL PHENOMENA ON LWR SEVERE ACCIDENT FISSIO 32-1-2-56
TWENTY-FIRST DOE/NRC NUCLEAR AIR	CLEANING CONFERENCE/ 32-1-4-80
NTIAL NUCLEAR POWER PLANT SITES IN IRAQ ACCORDING TO THE	COLLECTIVE DOSE CRITERION/ TECHNICAL NOTE - RANK 32-3-5-388
DRIVE SYSTEM/ EFFECTS OF	COMPONENT AGING ON THE WESTINGHOUSE CONTROL ROD 32-4-7-567
EWRITING THE STANDARD ON THE FUNCTIONAL REQUIREMENTS FOR	COMPUTERS USED IN SAFETY SYSTEMS OF NUCLEAR POWE 32-3-3-375
NG RADIATION EXPOSURE/	CONCEPTS ASSOCIATED WITH NEW REGULATIONS GOVERNI 32-2-1-168
/ DESIGNING FOR SAFETY IN THE	CONCEPTUAL DESIGN OF THE ADVANCED NEUTRON SOURCE 32-2-4-199
TWENTY-FIRST DOE/NRC NUCLEAR AIR CLEANING	CONFERENCE/ 32-1-4-80
TORY AND STATUS/	CONTAINMENTS FOR GAS-COOLED POWER REACTORS - HIS 32-4-4-521
FOR DEALING WITH RISKS DUE TO HYDROGEN EXPLOSIONS IN THE	CONTAINMENTS OF PRESSURIZED-WATER REACTORS OF RU 32-3-4-380
EFFECTS OF COMPONENT AGING ON THE WESTINGHOUSE	CONTROL ROD DRIVE SYSTEM/ 32-4-7-567
TEMS/ A FRAMEWORK FOR SELECTING SUITABLE	CONTROL TECHNOLOGIES FOR NUCLEAR POWER PLANT SYS 32-4-3-511
GENERATOR PLUGGING AND BREAK SIZE ON LARGE BREAK LOSS OF	COOLANT ACCIDENTS/ INFLUENCE OF STEAM 32-3-2-363
S) AND PROBABILISTIC SAFETY ASSESSMENT (PSA) IN THE OECD	COUNTRIES/ TECHNICAL NOTE - QUANTITATIVE SAFETY 32-2-1-184
WER PLANT SITES IN IRAQ ACCORDING TO THE COLLECTIVE DOSE	CRITERION/ TECHNICAL NOTE - RANKING OF FOUR POTE 32-3-5-388
NAL SAFETY/ TOTAL SAFETY - A NEW SAFETY	CULTURE TO INTEGRATE NUCLEAR SAFETY AND OPERATIO 32-3-7-416
L STANDARD FOR DECAY HEAT POWER IN LIGHT WATER REACTORS/	CURRENT STATUS AND PROPOSED IMPROVEMENTS TO THE 32-2-4-209

WATER REACTORS OF RUSSIAN DESIGN (WWERS)/ A STRATEGY FOR DEALING WITH RISKS DUE TO HYDROGEN EXPLOSIONS IN 32-3-4-380
MENTS TO THE ANSI/ANS-5.1 AMERICAN NATIONAL STANDARD FOR DECAY HEAT POWER IN LIGHT WATER REACTORS/ CURREN 32-2-4-209
TECHNICAL NOTE - RADIATION EXPOSURE IN DEPRESSURIZATION ACCIDENT OF HTTR/ 32-2-5-222
HE CONTAINMENTS OF PRESSURIZED-WATER REACTORS OF RUSSIAN DESIGN (WWERS)/ A STRATEGY FOR DEALING WITH RISK 32-3-4-380
BOOK REVIEW - PLANT DESIGN FOR SAFETY - A USER-FRIENDLY APPROACH/ 32-3-4-387
DESIGNING FOR SAFETY IN THE CONCEPTUAL DESIGN OF THE ADVANCED NEUTRON SOURCE/ 32-2-4-199
THE ADVANCED NEUTRON SOURCE/ DESIGNING FOR SAFETY IN THE CONCEPTUAL DESIGN OF 32-2-4-199
TECHNICAL NOTE - SAFETY PARAMETER DISPLAY SYSTEMS - 10 YEARS LATER/ 32-1-3-65
AINTIES RELATED TO DOSE ASSESSMENTS FOR HIGH LEVEL WASTE DISPOSAL/ UNCERT 32-3-6-391
COMPARISON OF THE NRC AND THE IAEA REGULATORY DOCUMENTS IN THE AREA OF NUCLEAR FUEL SYSTEMS/ 32-2-1-177
TWENTY-FIRST DOE/NRC NUCLEAR AIR CLEANING CONFERENCE/ 32-1-4-80
UNCERTAINTIES RELATED TO DOSE ASSESSMENTS FOR HIGH LEVEL WASTE DISPOSAL/ 32-3-6-391
AR POWER PLANT SITES IN IRAQ ACCORDING TO THE COLLECTIVE DOSE CRITERION/ TECHNICAL NOTE - RANKING OF FOUR 32-3-5-388
FECTS OF COMPONENT AGING ON THE WESTINGHOUSE CONTROL ROD DRIVE SYSTEM/ EF 32-4-7-567
/ BOOK REVIEW - THE RELATIVE BIOLOGICAL EFFECTIVENESS OF RADIATIONS OF DIFFERENT QUALITY 32-2-5-229
VESSEL SUPPORTS/ IMPACT OF AN APPARENT RADIATION EMBRITTLEMENT RATE ON THE LIFE EXPECTANCY OF PWR 32-1-4-91
NUREG/CR-0095, ORNL/NUREG/CSD-6 (1978)/ TECHNICAL NOTE - ERRONEOUS DATA IN NUCLEAR SAFETY GUIDE, TID-7016 32-2-1-167
OF AN APPARENT RADIATION EMBRITTLEMENT RATE ON THE LIFE EXPECTANCY OF PWR VESSEL SUPPORTS/ IMPACT 32-1-4-91
T ANALYSIS/ VAPOR EXPLOSIONS - A REVIEW OF EXPERIMENTS FOR ACCIDEN 32-3-2-337
WERS)/ A STRATEGY FOR DEALING WITH RISKS DUE TO HYDROGEN EXPLOSIONS IN THE CONTAINMENTS OF PRESSURIZED-WA 32-3-4-380
EPTS ASSOCIATED WITH NEW REGULATIONS GOVERNING RADIATION EXPOSURE/ CONC 32-2-1-168
TECHNICAL NOTE - RADIATION EXPOSURE IN DEPRESSURIZATION ACCIDENT OF HTTR/ 32-2-5-222
EIR V/ BOOK REVIEW - HEALTH EFFECTS OF EXPOSURE TO LOW LEVELS OF IONIZING RADIATION - B 32-4-5-551
EFFECTS OF CHEMICAL PHENOMENA ON LWR SEVERE ACCIDENT FISSION PRODUCT BEHAVIOR/ 32-1-2-56
TIONAL CENTRE FOR HEAT AND MASS PROCESSES/ BOOK REVIEW - FISSION PRODUCT TRANSPORT PROCESSES IN REACTOR A 32-1-1-35
/ ON THE IMPORTANCE OF THE ATMOSPHERIC PARAMETERS IN THE FISSION PRODUCTS DISTRIBUTION OF A SEVERE REACTO 32-4-5-544
OGIES FOR NUCLEAR POWER PLANT SYSTEMS/ A FRAMEWORK FOR SELECTING SUITABLE CONTROL TECHNOL 32-4-3-511
SUMMARY OF FUEL PERFORMANCE ANNUAL REPORT FOR 1988/ 32-2-7-242
AND THE IAEA REGULATORY DOCUMENTS IN THE AREA OF NUCLEAR FUEL SYSTEMS/ COMPARISON OF THE NRC 32-2-1-177
R PLANTS/ TECHNICAL NOTE - REWRITING THE STANDARD ON THE FUNCTIONAL REQUIREMENTS FOR COMPUTERS USED IN SA 32-3-3-375
INTERNATIONAL TOPICAL MEETING - THE SAFETY, STATUS, AND FUTURE OF NON-COMMERCIAL REACTORS AND IRRADIATIO 32-1-1-19
CONTAINMENTS FOR GAS-COOLED POWER REACTORS - HISTORY AND STATUS/ 32-4-4-521
LOSS OF COOLANT ACCIDENTS/ INFLUENCE OF STEAM GENERATOR PLUGGING AND BREAK SIZE ON LARGE BREAK 32-3-2-363
ASES/ GOOD RELATIONSHIPS ARE PIVOTAL IN NUCLEAR DATA B 32-4-1-488
CONCEPTS ASSOCIATED WITH NEW REGULATIONS GOVERNING RADIATION EXPOSURE/ 32-2-1-168
1978)/ TECHNICAL NOTE - ERRONEOUS DATA IN NUCLEAR SAFETY GUIDE, TID-7016, REVISION 2, NUREG/CR-0095, ORNL 32-2-1-167
THE OECD COUNTRIES/ TECHNICAL NOTE - QUANTITATIVE SAFETY GUIDELINES (QSGS) AND PROBABILISTIC SAFETY ASSES 32-2-1-184
ZING RADIATION - BEIR V/ BOOK REVIEW - HEALTH EFFECTS OF EXPOSURE TO LOW LEVELS OF IONI 32-4-5-551
R ACCIDENTS, PROCEEDINGS TO THE INTERNATIONAL CENTRE FOR HEAT AND MASS PROCESSES/ BOOK REVIEW - FISSION P 32-1-1-35
TO THE ANSI/ANS-5.1 AMERICAN NATIONAL STANDARD FOR DECAY HEAT POWER IN LIGHT WATER REACTORS/ CURRENT STAT 32-2-4-209
UNCERTAINTIES RELATED TO DOSE ASSESSMENTS FOR HIGH LEVEL WASTE DISPOSAL/ 32-3-6-391
CONTAINMENTS FOR GAS-COOLED POWER REACTORS - HISTORY AND STATUS/ 32-4-4-521
OTE - RADIATION EXPOSURE IN DEPRESSURIZATION ACCIDENT OF HTTR/ TECHNICAL N 32-2-5-222
DESIGN (WWERS)/ A STRATEGY FOR DEALING WITH RISKS DUE TO HYDROGEN EXPLOSIONS IN THE CONTAINMENTS OF PRESS 32-3-4-380
FUEL SYSTEMS/ COMPARISON OF THE NRC AND THE IAEA REGULATORY DOCUMENTS IN THE AREA OF NUCLEAR 32-2-1-177
TE ON THE LIFE EXPECTANCY OF PWR VESSEL SUPPORTS/ IMPACT OF AN APPARENT RADIATION EMBRITTLEMENT RA 32-1-4-91
NCE OF SMALL NUCLEAR POWER PLANTS/ TECHNICAL NOTE - THE IMPACT OF OFFSITE FACTORS ON THE SAFETY PERFORMA 32-1-5-103
REGULATORY PRACTICES IN INDIA FOR ESTABLISHING NUCLEAR POWER STATIONS/ 32-3-1-332
INDOOR RADON - A NATURAL RISK/ 32-4-5-537
TOTAL SAFETY - A NEW SAFETY CULTURE TO INTEGRATE NUCLEAR SAFETY AND OPERATIONAL SAFETY/ 32-3-7-416
ION OF THE ULYSSES SPACE MISSION/ TECHNICAL NOTE - THE INTERAGENCY NUCLEAR SAFETY REVIEW PANELS EVALUAT 32-4-1-494
SPORT PROCESSES IN REACTOR ACCIDENTS, PROCEEDINGS TO THE INTERNATIONAL CENTRE FOR HEAT AND MASS PROCESSES 32-1-1-35
REACTOR TECHNOLOGY IN THE 1990S - A SUMMARY OF THE 1990 INTERNATIONAL FAST REACTOR SAFETY MEETING/ FAST 32-1-1-38
ASSESSMENT FOR OPERATIONAL SAFETY -PSA 91/ REPORT ON THE INTERNATIONAL SYMPOSIUM ON THE USE OF PROBABILIS 32-4-1-477
ATION FACILITIES/ REPORT ON THE AMERICAN NUCLEAR SOCIETY INTERNATIONAL TOPICAL MEETING - THE SAFETY, STAT 32-1-1-19
OOK REVIEW - HEALTH EFFECTS OF EXPOSURE TO LOW LEVELS OF IONIZING RADIATION - BEIR V/ B 32-4-5-551
- RANKING OF FOUR POTENTIAL NUCLEAR POWER PLANT SITES IN IRAQ ACCORDING TO THE COLLECTIVE DOSE CRITERION/ 32-3-5-388
AFETY, STATUS, AND FUTURE OF NON-COMMERCIAL REACTORS AND IRRADIATION FACILITIES/ REPORT ON THE AMERICAN N 32-1-1-19
NICAL NOTE - SAFETY PARAMETER DISPLAY SYSTEMS - 10 YEARS LATER/ TECH 32-1-3-65
BOOK REVIEW - HEALTH EFFECTS OF EXPOSURE TO LOW LEVELS OF IONIZING RADIATION - BEIR V/ 32-4-5-551
MPACT OF AN APPARENT RADIATION EMBRITTLEMENT RATE ON THE LIFE EXPECTANCY OF PWR VESSEL SUPPORTS/ I 32-1-4-91
S-5.1 AMERICAN NATIONAL STANDARD FOR DECAY HEAT POWER IN LIGHT WATER REACTORS/ CURRENT STATUS AND PROPOSE 32-2-4-209
F STEAM GENERATOR PLUGGING AND BREAK SIZE ON LARGE BREAK LOSS OF COOLANT ACCIDENTS/ INFLUENCE O 32-3-2-363
BOOK REVIEW - HEALTH EFFECTS OF EXPOSURE TO LOW LEVELS OF IONIZING RADIATION - BEIR V/ 32-4-5-551
EFFECTS OF CHEMICAL PHENOMENA ON LWR SEVERE ACCIDENT FISSION PRODUCT BEHAVIOR/ 32-1-2-56
IONS/ ASSESSING AND MANAGING PLANT RISK DURING SHUTDOWN PLANT CONDIT 32-3-1-325
TS, PROCEEDINGS TO THE INTERNATIONAL CENTRE FOR HEAT AND MASS PROCESSES/ BOOK REVIEW - FISSION PRODUCT TR 32-1-1-35
A SUMMARY OF THE 1990 INTERNATIONAL FAST REACTOR SAFETY MEETING/ FAST REACTOR TECHNOLOGY IN THE 1990S - 32-1-1-38
RT ON THE AMERICAN NUCLEAR SOCIETY INTERNATIONAL TOPICAL MEETING - THE SAFETY, STATUS, AND FUTURE OF NON- 32-1-1-19
EAR SAFETY REVIEW PANELS EVALUATION OF THE ULYSSES SPACE MISSION/ TECHNICAL NOTE - THE INTERAGENCY NUCL 32-4-1-494
S AND PROPOSED IMPROVEMENTS TO THE ANSI/ANS-5.1 AMERICAN NATIONAL STANDARD FOR DECAY HEAT POWER IN LIGHT 32-2-4-209
INDOOR RADON - A NATURAL RISK/ 32-4-5-537
S/ POTENTIAL APPLICATION OF NEURAL NETWORKS TO THE OPERATION OF NUCLEAR POWER PLANT 32-1-3-68
R PLANTS/ POTENTIAL APPLICATION OF NEURAL NETWORKS TO THE OPERATION OF NUCLEAR POWE 32-1-3-68
NING FOR SAFETY IN THE CONCEPTUAL DESIGN OF THE ADVANCED NEUTRON SOURCE/ DESIG 32-2-4-199
ONAL TOPICAL MEETING - THE SAFETY, STATUS, AND FUTURE OF NON-COMMERCIAL REACTORS AND IRRADIATION FACILITI 32-1-1-19
A OF NUCLEAR FUEL SYSTEMS/ COMPARISON OF THE NRC AND THE IAEA REGULATORY DOCUMENTS IN THE ARE 32-2-1-177
TWENTY-FIRST DOE/NRC NUCLEAR AIR CLEANING CONFERENCE/ 32-1-4-80
GOOD RELATIONSHIPS ARE PIVOTAL IN NUCLEAR DATA BASES/ 32-4-1-488
THE NRC AND THE IAEA REGULATORY DOCUMENTS IN THE AREA OF NUCLEAR FUEL SYSTEMS/ COMPARISON OF 32-2-1-177
SE CRITERION/ TECHNICAL NOTE - RANKING OF FOUR POTENTIAL NUCLEAR POWER PLANT SITES IN IRAQ ACCORDING TO T 32-3-5-388
RAMEWORK FOR SELECTING SUITABLE CONTROL TECHNOLOGIES FOR NUCLEAR POWER PLANT SYSTEMS/ A F 32-4-3-511
ASSESSMENT OF SAFETY-CRITICAL SOFTWARE IN NUCLEAR POWER PLANTS/ 32-2-3-189
NTIAL APPLICATION OF NEURAL NETWORKS TO THE OPERATION OF NUCLEAR POWER PLANTS/ POTE 32-1-3-68
CT OF OFFSITE FACTORS ON THE SAFETY PERFORMANCE OF SMALL NUCLEAR POWER PLANTS/ TECHNICAL NOTE - THE IMPA 32-1-5-103
NAL REQUIREMENTS FOR COMPUTERS USED IN SAFETY SYSTEMS OF NUCLEAR POWER PLANTS/ TECHNICAL NOTE - REWRITING 32-3-3-375
THE SAFETY REVIEW AND APPROVAL PROCESS FOR SPACE NUCLEAR POWER SOURCES/ 32-1-1-1
REGULATORY PRACTICES IN INDIA FOR ESTABLISHING NUCLEAR POWER STATIONS/ 32-3-1-332
SEVERE ACCIDENT ANALYSIS PROGRAM FOR THE SAVANNAH RIVER NUCLEAR PRODUCTION REACTORS/ THE 32-4-2-502
TOTAL SAFETY - A NEW SAFETY CULTURE TO INTEGRATE NUCLEAR SAFETY AND OPERATIONAL SAFETY/ 32-3-7-416
L/NUREG/CSD-6 (1978)/ TECHNICAL NOTE - ERRONEOUS DATA IN NUCLEAR SAFETY GUIDE, TID-7016, REVISION 2, NURE 32-2-1-167
LYSSES SPACE MISSION/ TECHNICAL NOTE - THE INTERAGENCY NUCLEAR SAFETY REVIEW PANELS EVALUATION OF THE U 32-4-1-494
CTORS AND IRRADIATION FACILITIES/ REPORT ON THE AMERICAN NUCLEAR SOCIETY INTERNATIONAL TOPICAL MEETING - 32-1-1-19
EOUS DATA IN NUCLEAR SAFETY GUIDE, TID-7016, REVISION 2, NUREG/CR-0095, ORNL/NUREG/CSD-6 (1978)/ TECHNICA 32-2-1-167
(QSGS) AND PROBABILISTIC SAFETY ASSESSMENT (PSA) IN THE OECD COUNTRIES/ TECHNICAL NOTE - QUANTITATIVE SA 32-2-1-184
LL NUCLEAR POWER PLANTS/ TECHNICAL NOTE - THE IMPACT OF OFFSITE FACTORS ON THE SAFETY PERFORMANCE OF SMA 32-1-5-103

Y - A NEW SAFETY CULTURE TO INTEGRATE NUCLEAR SAFETY AND 32-3-7-416
POSIUM ON THE USE OF PROBABILISTIC SAFETY ASSESSMENT FOR 32-4-1-477
CLEAR SAFETY GUIDE, TID-7016, REVISION 2, NUREG/CR-0095, 32-2-1-167
TECHNICAL NOTE - THE INTERAGENCY NUCLEAR SAFETY REVIEW 32-4-1-494
TECHNICAL NOTE - SAFETY 32-1-3-65
E REACTOR ACCIDENT/ ON THE IMPORTANCE OF THE ATMOSPHERIC 32-4-5-544
BEHAVIOR/ EFFECTS OF CHEMICAL 32-1-2-56
GOOD RELATIONSHIPS ARE 32-4-1-488
ASSESSMENT OF SAFETY-CRITICAL SOFTWARE IN NUCLEAR POWER 32-2-3-189
ION OF NEURAL NETWORKS TO THE OPERATION OF NUCLEAR POWER 32-1-3-68
FACTORS ON THE SAFETY PERFORMANCE OF SMALL NUCLEAR POWER 32-1-5-103
TS FOR COMPUTERS USED IN SAFETY SYSTEMS OF NUCLEAR POWER 32-3-3-375
OOLANT ACCIDENTS/ INFLUENCE OF STEAM GENERATOR 32-3-2-363
OPERATION OF NUCLEAR POWER PLANTS/ 32-1-3-68
LECTIVE DOSE CRITERION/ TECHNICAL NOTE - RANKING OF FOUR 32-3-5-388
E ANSI/ANS-5.1 AMERICAN NATIONAL STANDARD FOR DECAY HEAT 32-2-4-209
RION/ TECHNICAL NOTE - RANKING OF FOUR POTENTIAL NUCLEAR 32-3-5-388
FOR SELECTING SUITABLE CONTROL TECHNOLOGIES FOR NUCLEAR 32-4-3-511
ASSESSMENT OF SAFETY-CRITICAL SOFTWARE IN NUCLEAR 32-2-3-189
PLICATION OF NEURAL NETWORKS TO THE OPERATION OF NUCLEAR 32-1-3-68
FSITE FACTORS ON THE SAFETY PERFORMANCE OF SMALL NUCLEAR 32-1-5-103
IREMENTS FOR COMPUTERS USED IN SAFETY SYSTEMS OF NUCLEAR 32-3-3-375
CONTAINMENTS FOR GAS-COOLED 32-4-4-521
THE SAFETY REVIEW AND APPROVAL PROCESS FOR SPACE NUCLEAR 32-1-1-1
REGULATORY PRACTICES IN INDIA FOR ESTABLISHING NUCLEAR 32-3-1-332
R STATIONS/ REGULATORY 32-3-1-332
RISKS DUE TO HYDROGEN EXPLOSIONS IN THE CONTAINMENTS OF 32-3-4-380
CHNICAL NOTE - QUANTITATIVE SAFETY GUIDELINES (QSGS) AND 32-2-1-184
91/ REPORT ON THE INTERNATIONAL SYMPOSIUM ON THE USE OF 32-4-1-477
ISSION PRODUCT TRANSPORT PROCESSES IN REACTOR ACCIDENTS, 32-1-1-35
IMPORTANCE OF THE ATMOSPHERIC PARAMETERS IN THE FISSION 32-4-5-544
T RADIATION EMBRITTLEMENT RATE ON THE LIFE EXPECTANCY OF 32-1-4-91
TIVE BIOLOGICAL EFFECTIVENESS OF RADIATIONS OF DIFFERENT 32-2-5-229
ASSESSMENT (PSA) IN THE OECD COUNTRIES/ TECHNICAL NOTE - 32-2-1-184
W - HEALTH EFFECTS OF EXPOSURE TO LOW LEVELS OF IONIZING 32-4-5-551
NCY OF PWR VESSEL SUPPORTS/ IMPACT OF AN APPARENT 32-1-4-91
CONCEPTS ASSOCIATED WITH NEW REGULATIONS GOVERNING 32-2-1-168
OF HTTR/ TECHNICAL NOTE - 32-2-5-222
BOOK REVIEW - THE RELATIVE BIOLOGICAL EFFECTIVENESS OF 32-2-5-229
INDOOR 32-4-5-537
RDING TO THE COLLECTIVE DOSE CRITERION/ TECHNICAL NOTE - 32-3-5-388
TS/ IMPACT OF AN APPARENT RADIATION EMBRITTLEMENT 32-1-4-91
AMETERS IN THE FISSION PRODUCTS DISTRIBUTION OF A SEVERE 32-4-5-544
ES/ BOOK REVIEW - FISSION PRODUCT TRANSPORT PROCESSES IN 32-1-1-35
TECHNICAL NOTE - APPROACHES AND PRINCIPLES OF 32-2-1-176
IN THE 1990S - A SUMMARY OF THE 1990 INTERNATIONAL FAST 32-1-1-38
HE 1990 INTERNATIONAL FAST REACTOR SAFETY MEETING/ FAST 32-1-1-38
ALYSIS PROGRAM FOR THE SAVANNAH RIVER NUCLEAR PRODUCTION 32-4-2-502
AN NATIONAL STANDARD FOR DECAY HEAT POWER IN LIGHT WATER 32-2-4-209
CONTAINMENTS FOR GAS-COOLED POWER 32-4-4-521
ETING - THE SAFETY, STATUS, AND FUTURE OF NON-COMMERCIAL 32-1-1-19
OGEN EXPLOSIONS IN THE CONTAINMENTS OF PRESSURIZED-WATER 32-3-4-380
CONCEPTS ASSOCIATED WITH NEW 32-2-1-168
SYSTEMS/ COMPARISON OF THE NRC AND THE IAEA 32-2-1-177
UCLEAR POWER STATIONS/ 32-3-1-332
GOOD 32-4-1-488
E INTERNATIONAL CENTRE FOR HEAT AND MASS PROCESSES/ BOOK 32-1-1-35
S OF IONIZING RADIATION - BEIR V/ BOOK 32-4-5-551
LY APPROACH/ BOOK 32-3-4-387
F RADIATIONS OF DIFFERENT QUALITY/ BOOK 32-2-5-229
MER SOURCES/ THE SAFETY 32-1-1-1
VAPOR EXPLOSIONS - A 32-3-2-337
SSION/ TECHNICAL NOTE - THE INTERAGENCY NUCLEAR SAFETY 32-4-1-494
NOTE - ERRONEOUS DATA IN NUCLEAR SAFETY GUIDE, TID-7016, 32-2-1-167
SAFETY SYSTEMS OF NUCLEAR POWER PLANTS/ TECHNICAL NOTE - 32-3-3-375
INDOOR RADON - A NATURAL 32-4-5-537
ASSESSING AND MANAGING PLANT 32-3-1-325
S OF RUSSIAN DESIGN (WWERS)/ A STRATEGY FOR DEALING WITH 32-3-4-380
THE SEVERE ACCIDENT ANALYSIS PROGRAM FOR THE SAVANNAH 32-4-2-502
EFFECTS OF COMPONENT AGING ON THE WESTINGHOUSE CONTROL 32-4-7-567
ONS IN THE CONTAINMENTS OF PRESSURIZED-WATER REACTORS OF 32-3-4-380
FETY CULTURE TO INTEGRATE NUCLEAR SAFETY AND OPERATIONAL 32-3-7-416
AR SAFETY AND OPERATIONAL SAFETY/ TOTAL 32-3-7-416
BOOK REVIEW - PLANT DESIGN FOR 32-3-4-387
E USE OF PROBABILISTIC SAFETY ASSESSMENT FOR OPERATIONAL 32-4-1-477
TOTAL SAFETY - A NEW SAFETY CULTURE TO INTEGRATE NUCLEAR 32-3-7-416
QUANTITATIVE SAFETY GUIDELINES (QSGS) AND PROBABILISTIC 32-2-1-184
THE INTERNATIONAL SYMPOSIUM ON THE USE OF PROBABILISTIC 32-4-1-477
PERATIONAL SAFETY/ TOTAL SAFETY - A NEW 32-3-7-416
TECHNICAL NOTE - APPROACHES AND PRINCIPLES OF REACTOR 32-2-1-176
CSD-6 (1978)/ TECHNICAL NOTE - ERRONEOUS DATA IN NUCLEAR 32-2-1-167
SA) IN THE OECD COUNTRIES/ TECHNICAL NOTE - QUANTITATIVE 32-2-1-184
NEUTRON SOURCE/ DESIGNING FOR 32-2-4-199
1990S - A SUMMARY OF THE 1990 INTERNATIONAL FAST REACTOR 32-1-1-38
R/ TECHNICAL NOTE - 32-1-3-65
/ TECHNICAL NOTE - THE IMPACT OF OFFSITE FACTORS ON THE 32-1-5-103
LEAR POWER SOURCES/ THE 32-1-1-1
PACE MISSION/ TECHNICAL NOTE - THE INTERAGENCY NUCLEAR 32-4-1-494
ARD ON THE FUNCTIONAL REQUIREMENTS FOR COMPUTERS USED IN 32-3-3-375
ICAN NUCLEAR SOCIETY INTERNATIONAL TOPICAL MEETING - THE 32-1-1-19
/ ASSESSMENT OF 32-2-3-189
THE SEVERE ACCIDENT ANALYSIS PROGRAM FOR THE 32-4-2-502
EAR POWER PLANT SYSTEMS/ A FRAMEWORK FOR 32-4-3-511
H RIVER NUCLEAR PRODUCTION REACTORS/ THE 32-4-2-502
EFFECTS OF CHEMICAL PHENOMENA ON LWR 32-1-2-56
RIC PARAMETERS IN THE FISSION PRODUCTS DISTRIBUTION OF A 32-4-5-544
OPERATIONAL SAFETY/ TOTAL SAFET 32-3-7-416
OPERATIONAL SAFETY -PSA 91/ REPORT ON THE INTERN 32-4-1-477
ORNL/NUREG/CSD-6 (1978)/ TECHNICAL NOTE - ERRONE 32-2-1-167
PANELS EVALUATION OF THE ULYSSES SPACE MISSION/ 32-4-1-494
PARAMETER DISPLAY SYSTEMS - 10 YEARS LATER/ 32-1-3-65
PARAMETERS IN THE FISSION PRODUCTS DISTRIBUTION 32-4-5-544
PHENOMENA ON LWR SEVERE ACCIDENT FISSION PRODUCT 32-1-2-56
PIVOTAL IN NUCLEAR DATA BASES/ 32-4-1-488
PLANTS/ 32-2-3-189
PLANTS/ POTENTIAL APPLICAT 32-1-3-68
PLANTS/ TECHNICAL NOTE - THE IMPACT OF OFFSITE 32-1-5-103
PLANTS/ TECHNICAL NOTE - REWRITING THE STANDARD 32-3-3-375
PLUGGING AND BREAK SIZE ON LARGE BREAK LOSS OF C 32-3-2-363
POTENTIAL APPLICATION OF NEURAL NETWORKS TO THE 32-1-3-68
POTENTIAL NUCLEAR POWER PLANT SITES IN IRAQ ACCO 32-3-5-388
POWER IN LIGHT WATER REACTORS/ CURRENT STATUS AN 32-2-4-209
POWER PLANT SITES IN IRAQ ACCORDING TO THE COLLE 32-3-5-388
POWER PLANT SYSTEMS/ A FRAMEWORK 32-4-3-511
POWER PLANTS/ 32-2-3-189
POWER PLANTS/ POTENTIAL AP 32-1-3-68
POWER PLANTS/ TECHNICAL NOTE - THE IMPACT OF OF 32-1-5-103
POWER PLANTS/ TECHNICAL NOTE - REWRITING THE STA 32-3-3-375
POWER REACTORS - HISTORY AND STATUS/ 32-4-4-521
POWER SOURCES/ 32-1-1-1
POWER STATIONS/ 32-3-1-332
PRACTICES IN INDIA FOR ESTABLISHING NUCLEAR POWE 32-3-1-332
PRESSURIZED-WATER REACTORS OF RUSSIAN DESIGN (WW 32-3-4-380
PROBABILISTIC SAFETY ASSESSMENT (PSA) IN THE OEC 32-2-1-184
PROBABILISTIC SAFETY ASSESSMENT FOR OPERATIONAL 32-4-1-477
PROCEEDINGS TO THE INTERNATIONAL CENTRE FOR HEAT 32-1-1-35
PRODUCTS DISTRIBUTION OF A SEVERE REACTOR ACCIDE 32-4-5-544
PWR VESSEL SUPPORTS/ IMPACT OF AN APPAREN 32-1-4-91
QUALITY/ BOOK REVIEW - THE RELA 32-2-5-229
QUANTITATIVE SAFETY GUIDELINES (QSGS) AND PROBAB 32-2-1-184
RADIATION - BEIR V/ BOOK REVIE 32-4-5-551
RADIATION EMBRITTLEMENT RATE ON THE LIFE EXPECTA 32-1-4-91
RADIATION EXPOSURE/ 32-2-1-168
RADIATION EXPOSURE IN DEPRESSURIZATION ACCIDENT 32-2-5-222
RADIATIONS OF DIFFERENT QUALITY/ 32-2-5-229
RADON - A NATURAL RISK/ 32-4-5-537
RANKING OF FOUR POTENTIAL NUCLEAR POWER PLANT SI 32-3-5-388
RATE ON THE LIFE EXPECTANCY OF PWR VESSEL SUPPOR 32-1-4-91
REACTOR ACCIDENT/ ON THE IMPORTANCE OF THE ATMOS 32-4-5-544
REACTOR ACCIDENTS, PROCEEDINGS TO THE INTERNATIO 32-1-1-35
REACTOR SAFETY EVALUATION AND IMPROVEMENT/ 32-2-1-176
REACTOR SAFETY MEETING/ FAST REACTOR TECHNOLOGY 32-1-1-38
REACTOR TECHNOLOGY IN THE 1990S - A SUMMARY OF T 32-1-1-38
REACTORS/ THE SEVERE ACCIDENT AN 32-4-2-502
REACTORS/ CURRENT STATUS AND PROPOSED IMPROVEMEN 32-2-4-209
REACTORS - HISTORY AND STATUS/ 32-4-4-521
REACTORS AND IRRADIATION FACILITIES/ REPORT ON T 32-1-1-19
REACTORS OF RUSSIAN DESIGN (WWERS)/ A STRATEGY F 32-3-4-380
REGULATIONS GOVERNING RADIATION EXPOSURE/ 32-2-1-168
REGULATORY DOCUMENTS IN THE AREA OF NUCLEAR FUEL 32-2-1-177
REGULATORY PRACTICES IN INDIA FOR ESTABLISHING N 32-3-1-332
RELATIONSHIPS ARE PIVOTAL IN NUCLEAR DATA BASES/ 32-4-1-488
REVIEW - FISSION PRODUCT TRANSPORT PROCESSES IN 32-1-1-35
REVIEW - HEALTH EFFECTS OF EXPOSURE TO LOW LEVEL 32-4-5-551
REVIEW - PLANT DESIGN FOR SAFETY - A USER-FRIEND 32-3-4-387
REVIEW - THE RELATIVE BIOLOGICAL EFFECTIVENESS O 32-2-5-229
REVIEW AND APPROVAL PROCESS FOR SPACE NUCLEAR PO 32-1-1-1
REVIEW OF EXPERIMENTS FOR ACCIDENT ANALYSIS/ 32-3-2-337
REVIEW PANELS EVALUATION OF THE ULYSSES SPACE MI 32-4-1-494
REVISION 2, NUREG/CR-0095, ORNL/NUREG/CSD-6 (197 32-2-1-167
REWRITING THE STANDARD ON THE FUNCTIONAL REQUIRE 32-3-3-375
RISK/ 32-4-5-537
RISK DURING SHUTDOWN PLANT CONDITIONS/ 32-3-1-325
RISKS DUE TO HYDROGEN EXPLOSIONS IN THE CONTAINM 32-3-4-380
RIVER NUCLEAR PRODUCTION REACTORS/ 32-4-2-502
ROD DRIVE SYSTEM/ 32-4-7-567
RUSSIAN DESIGN (WWERS)/ A STRATEGY FOR DEALING W 32-3-4-380
SAFETY/ TOTAL SAFETY - A NEW SA 32-3-7-416
SAFETY - A NEW SAFETY CULTURE TO INTEGRATE NUCLE 32-3-7-416
SAFETY - A USER-FRIENDLY APPROACH/ 32-3-4-387
SAFETY -PSA 91/ REPORT ON THE INTERNATIONAL SYMP 32-4-1-477
SAFETY AND OPERATIONAL SAFETY/ 32-3-7-416
SAFETY ASSESSMENT (PSA) IN THE OECD COUNTRIES/ T 32-2-1-184
SAFETY ASSESSMENT FOR OPERATIONAL SAFETY -PSA 91 32-4-1-477
SAFETY CULTURE TO INTEGRATE NUCLEAR SAFETY AND O 32-3-7-416
SAFETY EVALUATION AND IMPROVEMENT/ 32-2-1-176
SAFETY GUIDE, TID-7016, REVISION 2, NUREG/CR-009 32-2-1-167
SAFETY GUIDELINES (QSGS) AND PROBABILISTIC SAFET 32-2-1-184
SAFETY IN THE CONCEPTUAL DESIGN OF THE ADVANCED 32-2-4-199
SAFETY MEETING/ FAST REACTOR TECHNOLOGY IN THE 32-1-1-38
SAFETY PARAMETER DISPLAY SYSTEMS - 10 YEARS LATE 32-1-3-65
SAFETY PERFORMANCE OF SMALL NUCLEAR POWER PLANTS 32-1-5-103
SAFETY REVIEW AND APPROVAL PROCESS FOR SPACE NUC 32-1-1-1
SAFETY REVIEW PANELS EVALUATION OF THE ULYSSES S 32-4-1-494
SAFETY SYSTEMS OF NUCLEAR POWER PLANTS/ TECHNICA 32-3-3-375
SAFETY, STATUS, AND FUTURE OF NON-COMMERCIAL REA 32-1-1-19
SAFETY-CRITICAL SOFTWARE IN NUCLEAR POWER PLANTS 32-2-3-189
SAVANNAH RIVER NUCLEAR PRODUCTION REACTORS/ 32-4-2-502
SELECTING SUITABLE CONTROL TECHNOLOGIES FOR NUCL 32-4-3-511
SEVERE ACCIDENT ANALYSIS PROGRAM FOR THE SAVANNA 32-4-2-502
SEVERE ACCIDENT FISSION PRODUCT BEHAVIOR/ 32-1-2-56
SEVERE REACTOR ACCIDENT/ ON THE IMPORTANCE OF TH 32-4-5-544

ASSESSING AND MANAGING PLANT RISK DURING SHUTDOWN PLANT CONDITIONS/ 32-3-1-325
CAL NOTE - RANKING OF FOUR POTENTIAL NUCLEAR POWER PLANT SITES IN IRAQ ACCORDING TO THE COLLECTIVE DOSE C 32-3-5-388
D IRRADIATION FACILITIES/ REPORT ON THE AMERICAN NUCLEAR SOCIETY INTERNATIONAL TOPICAL MEETING - THE SAFE 32-1-1-19
ASSESSMENT OF SAFETY-CRITICAL SOFTWARE IN NUCLEAR POWER PLANTS/ 32-2-3-189
SAFETY IN THE CONCEPTUAL DESIGN OF THE ADVANCED NEUTRON SOURCE/ DESIGNING FOR 32-2-4-199
FETY REVIEW AND APPROVAL PROCESS FOR SPACE NUCLEAR POWER SOURCES/ THE SA 32-1-1-1
Y NUCLEAR SAFETY REVIEW PANELS EVALUATION OF THE ULYSSES SPACE MISSION/ TECHNICAL NOTE - THE INTERAGENC 32-4-1-494
THE SAFETY REVIEW AND APPROVAL PROCESS FOR SPACE NUCLEAR POWER SOURCES/ 32-1-1-1
POSED IMPROVEMENTS TO THE ANSI/ANS-5.1 AMERICAN NATIONAL STANDARD FOR DECAY HEAT POWER IN LIGHT WATER REA 32-2-4-209
OF NUCLEAR POWER PLANTS/ TECHNICAL NOTE - REWRITING THE STANDARD ON THE FUNCTIONAL REQUIREMENTS FOR COMP 32-3-3-375
LATORY PRACTICES IN INDIA FOR ESTABLISHING NUCLEAR POWER STATIONS/ REGU 32-3-1-332
CONTAINMENTS FOR GAS-COOLED POWER REACTORS - HISTORY AND STATUS/ 32-4-4-521
RD FOR DECAY HEAT POWER IN LIGHT WATER REACTORS/ CURRENT STATUS AND PROPOSED IMPROVEMENTS TO THE ANSI/ANS 32-2-4-209
LEAR SOCIETY INTERNATIONAL TOPICAL MEETING - THE SAFETY, STATUS, AND FUTURE OF NON-COMMERCIAL REACTORS AN 32-1-1-19
BREAK LOSS OF COOLANT ACCIDENTS/ INFLUENCE OF STEAM GENERATOR PLUGGING AND BREAK SIZE ON LARGE 32-3-2-363
PRESSURIZED-WATER REACTORS OF RUSSIAN DESIGN (WWERS)/ A STRATEGY FOR DEALING WITH RISKS DUE TO HYDROGEN 32-3-4-380
88/ SUMMARY OF FUEL PERFORMANCE ANNUAL REPORT FOR 19 32-2-7-242
AFETY MEETING/ FAST REACTOR TECHNOLOGY IN THE 1990S - A SUMMARY OF THE 1990 INTERNATIONAL FAST REACTOR S 32-1-1-38
EMBRITTLEMENT RATE ON THE LIFE EXPECTANCY OF PWR VESSEL SUPPORTS/ IMPACT OF AN APPARENT RADIATION 32-1-4-91
OPERATIONAL SAFETY -PSA 91/ REPORT ON THE INTERNATIONAL SYMPOSIUM ON THE USE OF PROBABILISTIC SAFETY ASS 32-4-1-477
ACTOR SAFETY EVALUATION AND IMPROVEMENT/ TECHNICAL NOTE - APPROACHES AND PRINCIPLES OF RE 32-2-1-176
016, REVISION 2, NUREG/CR-0095, ORNL/NUREG/CSD-6 (1978)/ TECHNICAL NOTE - ERRONEOUS DATA IN NUCLEAR SAFET 32-2-1-167
ABILISTIC SAFETY ASSESSMENT (PSA) IN THE OECD COUNTRIES/ TECHNICAL NOTE - QUANTITATIVE SAFETY GUIDELINES 32-2-1-184
IZATION ACCIDENT OF HTTR/ TECHNICAL NOTE - RADIATION EXPOSURE IN DEPRESSUR 32-2-5-222
ITES IN IRAQ ACCORDING TO THE COLLECTIVE DOSE CRITERION/ TECHNICAL NOTE - RANKING OF FOUR POTENTIAL NUCLE 32-3-5-388
OMPUTERS USED IN SAFETY SYSTEMS OF NUCLEAR POWER PLANTS/ TECHNICAL NOTE - REWRITING THE STANDARD ON THE F 32-3-3-375
S - 10 YEARS LATER/ TECHNICAL NOTE - SAFETY PARAMETER DISPLAY SYSTEM 32-1-3-65
N THE SAFETY PERFORMANCE OF SMALL NUCLEAR POWER PLANTS/ TECHNICAL NOTE - THE IMPACT OF OFFSITE FACTORS O 32-1-5-103
REVIEW PANELS EVALUATION OF THE ULYSSES SPACE MISSION/ TECHNICAL NOTE - THE INTERAGENCY NUCLEAR SAFETY 32-4-1-494
A FRAMEWORK FOR SELECTING SUITABLE CONTROL TECHNOLOGIES FOR NUCLEAR POWER PLANT SYSTEMS/ 32-4-3-511
INTERNATIONAL FAST REACTOR SAFETY MEETING/ FAST REACTOR TECHNOLOGY IN THE 1990S - A SUMMARY OF THE 1990 32-1-1-38
TECHNICAL NOTE - ERRONEOUS DATA IN NUCLEAR SAFETY GUIDE, TID-7016, REVISION 2, NUREG/CR-0095, ORNL/NUREG/ 32-2-1-167
ES/ REPORT ON THE AMERICAN NUCLEAR SOCIETY INTERNATIONAL TOPICAL MEETING - THE SAFETY, STATUS, AND FUTURE 32-1-1-19
R HEAT AND MASS PROCESSES/ BOOK REVIEW - FISSION PRODUCT TRANSPORT PROCESSES IN REACTOR ACCIDENTS, PROCEE 32-1-1-35
ENCE/ TWENTY-FIRST DOE/NRC NUCLEAR AIR CLEANING CONFER 32-1-4-80
TERAGENCY NUCLEAR SAFETY REVIEW PANELS EVALUATION OF THE ULYSSES SPACE MISSION/ TECHNICAL NOTE - THE IN 32-4-1-494
GH LEVEL WASTE DISPOSAL/ UNCERTAINTIES RELATED TO DOSE ASSESSMENTS FOR HI 32-3-6-391
BOOK REVIEW - PLANT DESIGN FOR SAFETY - A USER-FRIENDLY APPROACH/ 32-3-4-387
CCIDENT ANALYSIS/ VAPOR EXPLOSIONS - A REVIEW OF EXPERIMENTS FOR A 32-3-2-337
DIATION EMBRITTLEMENT RATE ON THE LIFE EXPECTANCY OF PWR VESSEL SUPPORTS/ IMPACT OF AN APPARENT RA 32-1-4-91
UNCERTAINTIES RELATED TO DOSE ASSESSMENTS FOR HIGH LEVEL WASTE DISPOSAL/ 32-3-6-391
AMERICAN NATIONAL STANDARD FOR DECAY HEAT POWER IN LIGHT WATER REACTORS/ CURRENT STATUS AND PROPOSED IMPR 32-2-4-209
EFFECTS OF COMPONENT AGING ON THE WESTINGHOUSE CONTROL ROD DRIVE SYSTEM/ 32-4-7-567
TECHNICAL NOTE - SAFETY PARAMETER DISPLAY SYSTEMS - 10 YEARS LATER/ 32-1-3-65
TECHNICAL NOTE - SAFETY PARAMETER DISPLAY SYSTEMS - 10 YEARS LATER/ 32-1-3-65
SUMMARY OF FUEL PERFORMANCE ANNUAL REPORT FOR 1988/ 32-2-7-242
FAST REACTOR TECHNOLOGY IN THE 1990S - A SUMMARY OF THE 1990 INTERNATIONAL FAST REACTOR SAFETY MEETING/ 32-1-1-38
REACTOR SAFETY MEETING/ FAST REACTOR TECHNOLOGY IN THE 1990S - A SUMMARY OF THE 1990 INTERNATIONAL FAST 32-1-1-38
RONEOUS DATA IN NUCLEAR SAFETY GUIDE, TID-7016, REVISION 2, NUREG/CR-0095, ORNL/NUREG/CSD-6 (1978)/ TECHN 32-2-1-167
BABILISTIC SAFETY ASSESSMENT FOR OPERATIONAL SAFETY -PSA 91/ REPORT ON THE INTERNATIONAL SYMPOSIUM ON THE 32-4-1-477

Author List

AL-ANI, D. S. 32-3-5-388
AL-KATEEB, G. H. 32-3-5-388
ASMIS, G. J. K. 32-2-3-189
BAILEY, W. J. 32-2-7-242
BARANAEV, YU. D. 32-1-5-103
BARLA, M. C. 32-4-5-544
BAYULKEN, A. R. 32-4-5-544
BELLAMY, R. R. 32-1-4-80
BENNETT, G. L. 32-1-1-1
BERGSTROM, U. 32-3-6-391
BERTING, F. M. 32-2-7-242
CHAKRABORTY, S. 32-2-1-184
CHAKRABORTY, S. 32-4-1-477
CHEVERTON, R. D. 32-1-4-91
CHEXAL, V. K. 32-3-1-325
CORRADINI, M. L. 32-3-2-337
DE, A. K. 32-3-1-332
DICKENS, J. K. 32-2-4-209
ECKENRODE, R. J. 32-1-3-65
EL-ADHAM, K. 32-2-1-177
ENGLAND, T. R. 32-2-4-209
FINESCHI, F. 32-3-4-380
FIRST, M. W. 32-1-4-80
GONEN, Y. G. 32-2-1-184
GRAY, L. B. 32-4-1-494
GUNTHER, W. 32-4-7-567
HARLEY, J. H. 32-4-5-537
HARLEY, N. H. 32-4-5-537
HARRINGTON, R. M. 32-2-4-199
HEGER, A. S. 32-4-1-488
HUFF, D. A. 32-4-1-494
HYDER, M. L. 32-4-2-502
KALRA, S. P. 32-3-1-325
KERR, G. D. 32-2-5-229
KHATIB-RAHBAR, M. 32-4-1-477
KISNER, R. A. 32-4-3-511
KLINE, J. R. 32-2-1-168
KLUG, N. P. 32-4-1-494
KOEN, B. V. 32-4-1-488
KRESS, T. S. 32-1-1-35
KRESS, T. S. 32-1-2-56
LEVIN, A. E. 32-1-1-38
MADEY, J. 32-2-3-189
MAHMOOD, J. A. 32-3-5-388
MALINAUSKAS, A. P. 32-1-2-56
MAROUF, B. A. 32-3-5-388
MATRAS, J. R. 32-3-3-375
MAVKO, B. 32-3-2-363
MOELLER, D. W. 32-1-4-80
MOHAMAD, A. S. 32-3-5-388
NANSTAD, R. K. 32-1-4-91
NORDLINDER, S. 32-3-6-391
PARNAS, D. L. 32-2-3-189
PENNELL, W. E. 32-1-4-91
RICHMOND, C. R. 32-4-5-551
ROBINSON, G. C. 32-1-4-91
SAJI, G. 32-3-7-416
SAMA, K. 32-2-5-222
SCHENTER, R. E. 32-2-4-209
SHINAISHIN, M. A. 32-2-1-177
SHINDO, M. 32-2-5-222
SHIOZAWA, S. 32-2-5-222
SHOLTIS, JR., J. A. 32-4-1-494
SILVER, E. G. 32-1-1-19
SINGH, S. P. 32-3-1-332
STRITAR, A. 32-3-2-363
SULLIVAN, K. 32-4-7-567
TAHA, J. S. 32-3-5-388
TONG, L. S. 32-2-1-176
TRAUGER, D. B. 32-3-4-387
UHRIG, R. E. 32-1-3-68
VERSTEEG, M. F. 32-2-1-184
VIKTOROV, A. N. 32-1-5-103
WHITESIDES, G. E. 32-2-1-167
WILLIAMS, P. M. 32-4-4-521
WINCHESTER, R. O. 32-4-1-494